

**MINUTES OF MEETING OF CILCAIN COMMUNITY COUNCIL HELD AT THE WAR  
MEMORIAL INSTITUTE RHYDYMWYN ON 20 OCTOBER 2025**

Present: Chairperson: Karen Parker  
Councillors: Pauline Douglas Malcolm Down  
John Doyle Gwen Hardman  
Ian Hughes Tim Mitchell  
J V Worthington  
The Clerk was also in attendance

**1. CHAIRPERSON'S OPENING REMARKS**

Croeso i bawb i Gyngor Mis Hydref. The Chairperson welcomed Members to the October Meeting. The Chair also welcomed Cilcain residents (SJ) (DF) and Flintshire County Councillor Andrew Parkhurst to the Council Meeting.

**2. APOLOGIES FOR ABSENCE** - Cllr J Emyr Davies. Cllr Gareth W Hughes, Cllr Michael Parr, Cllr Christine Vaughan

**3. DECLARATIONS OF INTEREST** - None received.

**4. MINUTES OF LAST COUNCIL MEETING** - Cllr Ian Hughes proposed and Cllr Gwen Hardman seconded and all Members present agreed to approve the 15 September Minutes.

**5. MATTERS ARISING - HIGHWAY MATTERS:**

**Neil's Action Plan - dated 15 September 2025 -**

**Sheet One (Potholes)**

Minute to note thanks to Mr Hickie for promptly dealing with a dangerous pothole reported to Neil directly by Cllr Tim Mitchell on the A541 immediately west of Hendre village.

**Sheet Two (Miscellaneous)**

Item 10 'Bryn y Graig' needs changing to 'Brøn y Graig'.

**Sheet Three (drainage issues)**

Additional items to be added to the list:

- (a) Mountain Road, Cilcain. Cllr J V Worthington requested that Mountain Road gulleys be added to the Action List. There are four or five gulleys in total where the gulleys have not been taking any roadside surface water for years, presumably because the gully connections are not working. The highway drainage system has not worked in Mountain Road for ten to fifteen years and nothing has been done by Flintshire CC to deal with the problem. The item should be included on the Action List.

- (b) Footway obstruction due to overhanging bush and a parked vehicle outside Mill Terrace, Hendre. Cllr Karen Parker and Cllr Andrew Parkhurst had been pursuing this issue with Mr Hickie at Flintshire Streetscene for the last few weeks. The problem needs adding to the Action List. Member agreed that in a week's time, if Flintshire CC has not been able to find a solution, the Chair would make contact with the Community Police Officer, to see if North Wales Police can assist in dealing with the obstruction to the carriageway and footway.
- (c) Cllr Parker reported a rocking Manhole cover outside Lloyds Terrace in Hendre.

## **6. MATTERS ARISING (NON HIGHWAY MATTERS) -**

- p42 Hendre Quarry and Fechlas Brook - Issue to be dealt with later in the meeting.
- p42 Roadside verge fenced off, Rhydymwyn - Holding reply received from Flintshire CC Legal on 3rd Sept - Matter being pursued by Flintshire. Clerk to send another reminder.
- p43 Notice Boards at Pedair y Groesffordd - Clerk reported that Mr Richard L Jones was scheduled to meet the ANOB Officer on Wednesday 22nd October 2025. An update should follow after the AONB meeting.
- p43 Sycamore Tree, Sharphaw, Dolfechlas Road, Rhydymwyn - Item to stay on the Agenda to act as a reminder.
- p43 Brithdir Mawr Reservoirs - Cllr Andrew Parkhurst reported that a site meeting with Dwr Cymru took place on the 13 October 2025. Cllr J V Worthington had attended, together with Mr Neil Hickie and Mr Simon Hughes.
  - (a) Mr Hickie indicated that the potholes on the entrance road were going to be repaired.
  - (b) The Contractor was going to provide passing places in readiness for the reservoir work.
  - (c) Mr Hickie to discuss with the landowner the possibility of making temporary / permanent improvement to the Loggerheads Road junction.
- p43 Cilcain defibrillator - Quote received for a new sign. Cllr Ian Hughes was satisfied that the existing post could accommodate the sign. Purchasing of the new sign was authorised. Mrs Sue Jones has obtained a quotation from a firm in Denbigh. Purchasing of the sign was authorised.
- p43 Cilcain Village Hall photovoltaic panels. Cllr Gwen Hardman reported that monitoring was ongoing.
- p43 Antelope Industrial Estate, Rhydymwyn - New large shed erected without planning permission. According to Flintshire CC Planning Enforcement Section, the building is classed as a 'temporary' structure that will be removed before the end of October. Position to be checked prior the November 2025 Council meeting.
- p43 Rhydymwyn Flood Protection:

- (i) The Clerk reported that relocating the camera on the Defra side of the five culvert system is being pursued by NRW.
- (ii) Cllr John Doyle reported that he had attended the Defra site when the automatic lifting mechanism for the automatic trash gates was being checked.
- (iii) Cllr John Doyle reported that he had been to witness the cleaning of the catch pits on the down river side of the Defra automatic trash grille. The work had been carried out by NRW's contractor. Cllr Doyle had taken some photographs of the work.
- (iv) Cllr Doyle had been shown the river level gauge mechanism, by the Defra site. The gauge mechanism is able to measure river levels, even in turbulent river flow conditions and transmits river level readings continuously to NRW's Headquarters. The readings are then utilised in preparation of NRW's Flood Warning System for the Alyn catchment.
- (v) Clerk reported that the cleaning of the culvert by the triples was currently being undertaken by Defra's contractor and was scheduled to be completed by the end of October.
- (vi) Clerk had contacted Mr Tim Owens at NRW's Bangor Office to seek an update on the timescale for completing the gravel management plan for cleaning out the catch pit on the up river side of the Defra trash grill. According to Mr Owens, the management plan was scheduled to be completed by March 2026. Apparently, the Contractor / Consultant employed to prepare the Management Plan has another fifty sites to be looked at in the same Management Plan.

p44 Vehicle speed results Hendre - Cllr Andrew Parkhurst reported that he was still pursuing the issue with Mr Lee Shone.

p44 Play Areas 50/50 Match-Funding Scheme 2025/26, Cilcain. Clerk had contacted Mr Richard Roberts to enquire about a starting date. Early November indicated by Mr Roberts.

p44 Road speed outside Ysgol y Foel, Cilcain, No change from the September Council Meeting. Cllr Parkhurst is still pursuing the issue with Flintshire CC's Traffic Section.

p44 The ash die-back trees, Rhydymwyn and Cilcain play areas.

Cllr John Doyle reported that the trees in Rhydymwyn playing field had been felled. Clerk indicated that Flintshire proposed to replace the felled trees with new ones (not ash trees).

Cllr Ian Hughes referred to 28 October 2025 as being the scheduled date for the tree at the Cilcain play area to be felled. Clerk had written to Mr Dewi Ellis to request him to make the necessary arrangement to close the play area during the tree felling operation.

p44 Village Hall, Cilcain, grant application from Cadwyn Clwyd for modifications to the entrance hall and toilets.

Cllr Gwen Hardman reported:

- (i) Modification works had commenced.
- (ii) The asbestos had been stripped out. Cllr Hardman thanked Cllr Ian Hughes for the advice he had provided on this aspect of the work.
- (iii) The dry lining had been completed and the plastering where appropriate.
- (iv) Indoor toilets have been closed and refurbishment will continue shortly.
- (v) Completion scheduled for December 2025.

p44 Nannerch and Cilcain Action Plans. Cllr Andrew Parkhurst reported that there should be more news from Flintshire CC by the November Council Meeting regarding the pot hole repair programme.

Flintshire CC also has a resurfacing programme. Phase 1 of Flintshire CC's resurfacing programme for this year has been announced, and covers A541 resurfacing work near the Rhosesmor junction in Rhydymwyn.

p45 Spar Quarry, Cilcain - No new reports / complaints had been received.

p45 Schedule of street lamps. Clerk to write to Scottish Power to seek compensation for the recent overcharging by Scottish Power.

p45 Road damage, Pantymwyn Road, Cilcain. Recent depression repair being monitored.

p45 Rhydymwyn river gate - Item discussed earlier.

p45 Loggerheads Road, Cilcain. Site meeting at the Denbighshire boundary (attended by Cllr Worthington, Neil Hickie and the Clerk). Clerk had requested Mr Hickie to clean out the verge grip on the Flintshire side of the boundary.

p48 Map - 'FindMyStreet' - Clerk reported having tried to use the National Gazetteer on the first two items being reported to Mr Hickie, but the system did not work:

- (a) The 'link path' in Dolfechlas Rd, Rhydymwyn was not included on the National Gazetteer Map.
- (b) Repair to the galvanised railing at Trial Hill, Cilcain had no specific USRN for Trial Hill. The nearest USRN 46803725 reference number covers the section of road from The Square in Cilcain down to Bont Newydd on the Gwernaffield CC - Cilcain CC boundary. The Clerk had therefore decided to carry on calling 'Trial Hill, Cilcain' by its locally known name 'Trial Hill, Cilcain'.

p48 Millennium Woods, Pentre Road, Cilcain - Report received at the meeting that the broken bench had been removed.

p48 Link Path Rhydymwyn. Cllr Malcolm Down had taken some photographs showing the condition of the path. Cllr John Doyle reported having cleared some brambles on the former Ysgol y Ddol side of the path. Neil Hickie had been requested to investigate and make any necessary contact with the resident that made the initial complaint to Mr Ian Smith.

p48 Rhydymwyn Play area - wooden item. Members reported the temporary cordoning off of the sand pit is still in place. Clerk to pursue with Mr Richard Roberts.

## **7. MATERION CYNLLUNIO - PLANNING MATTERS -**

- (i) Ref No: FUL/000393/25  
Proposal: Installation of a domestic sewage treatment plant to replace a failed soakaway serving 7 domestic properties  
Location: 1-7 Ruby Cottages, Rhydymwyn, CH7 5QB

Cilcain CC's observations: No objections to the application.

- (ii) Ref No: FUL/000854/25  
Proposal: Erection of new industrial unit (b1;b2;b8) on plot 2 and erection of replacement industrial unit (b1;b2;b8) on plot 3 to replace unit destroyed by fire, together with associated parking; landscaping & drainage infrastructure.  
Location: Antelope Industrial Estate, Access Road to Antelope Industrial Park, Rhydymwyn, Mold, CH7 5JH

Cilcain CC's observations: No objections to the application.

Cllr Andrew Parkhurst referred to a new Technical Advice Note (Tan 15) now being in place. Complying with the requirements of the new advice note regarding flooding appears to be more onerous for developers. Cllr Parkhurst suggested that the more stringent requirements of the new flooding advice note might be the reason why a number of applications in the Rhydymwyn area are being refused.

## **8. GOHEBIAETH - CORRESPONDENCE**

- 1) 10/09 Ash tree in Cilcain Play area - Information from Dewi Ellis at Flintshire CC regarding the cost of felling the ash dieback tree in the boundary hedge of the Cilcain play area. Cllr Ian Hughes had reported earlier in the meeting that the work was scheduled to take place on the 28 October.
- 2) 15/09 Dog fouling on the Waen Playing field. Photos from Cllr Ian Hughes of dog mess in Waen field and scribbling on the dog fouling sign adjoining the top gate. The Chair referred to the proposed meeting with Mr Crumplin which had been discussed previously earlier. Cllr John Doyle enquired if the scribbling on the sign was vandalism or not. Cllr Ian Hughes felt that scribbling on the middle part of the sign was more likely to have been done by a person who was opposed to controlling dogs by having dogs on a lead.

The Chair explained that the Council has evidence of dog fouling taking place. The Council has also received concern relating to children being frightened of dogs loose on the field. There are a number of Acts relating to controlling dogs in public spaces other than the Public Spaces Protection Orders used by Flintshire CC. The Chair referred to two acts in particular that can be enforceable:

- (i) Part 7 of the Crime and Antisocial Behaviour Act 2014.
- (ii) Clean Neighbourhood and Environment Act.

The Chair maintained - what we have here is a public space used by members of the public. Members of the public are at risk in the Waen Field due to dogs not being under proper control. In the forthcoming meeting with Mr Crumplin, the Council will need to enquire how the public can be protected. The Council will also need clarification regarding how to proceed, given that the Council has evidence of the existing misuse of Council owned land.

Cllr Ian Hughes agreed with the suggestions made by the Chairperson.

Cllr Gwen Hardman agreed that it was important to have explicit and clear signs erected so that users of the Waen are clear regarding what is acceptable and what is not acceptable.

The Chair maintained that if parents have been writing in to express concern regarding the safety of their children, such concerns have to be addressed by the Council.

Cllr Hardman maintained that dog fouling has been known to cause blindness in children, so dog fouling poses a serious health issue where children play.

All Members were in agreement to proceed with arranging a meeting with Mr Crumplin.

- 3) 16/09 CFFI Cilcain YFC - Request for permission for a bonfire to be held on Waen Field, Cilcain on 5 Nov 2025. Request from Charlotte Owen. Permission given for the use of the Waen Field for the event. Donation to be considered later in the meeting.
- 4) 16/09 Trial Hill, Cilcain. Update received from Mr Hickie regarding the railing repair. Item discussed earlier. So far as Mr Hickie is concerned, all necessary repairs have been undertaken.
- 5) 16/09 Safety Notice - Rhydymwyn. Ongoing works on Defra site - Information regarding proposed clearing of the open culvert at the 'triples' section of the River Alyn. Item discussed earlier.
- 6) 17/09 Consultation opens on the proposed Glyndŵr National Park - Information from Karen Weaver. Cllr J V Worthington reported having attended the meeting with Cllr J Emyr Davies at Llysfasi near Ruthin. Cllr Worthington explained that he had been disappointed with the lack of answers to the requests being made for information. Cllr Worthington would have appreciated information regarding what plans are in place to deal with the anticipated traffic and parking issues that will be generated in the villages and narrow rural roads affected by the proposed national park.

It will be important for as many residents as possible to fill in the consultation form to put forward their views.

The Community Council needs to re-submit its previous observation.

Cllr Ian Hughes had been informed by Cllr Davies that the existing cost of operating the AONB was approximately £300,000 per year, compared to the £3 million per year if the National Park is approved.

Members agreed that a consultation submission be prepared and submitted. The deadline is in early December. Members are requested to submit their list of concerns / observation to the Chair or Clerk.

- 7) 17/09 Rhydymwyn Bonfire 2025. Request for permission for a bonfire on the Donkey Field. Information from Mr Ian Smith, Rhydymwyn Fireworks Ctee Secretary. Bonfire and firework display scheduled for 1st Nov 2025. Permission given for the use of the Donkey Field. Donation to be considered later in the meeting.
- 8) 18/09 Thank you to the Community Council - Thank you note from the Secretary of the Cilcain Village Hall Ctee for the donation towards the annual calendar. Position noted.
- 9) 19/09 School Link Path, Rhydymwyn - Email from Rhydymwyn resident regarding concern about the condition of the path. Email forwarded to Mr Neil Hickie at Flintshire Streetscene. Item discussed earlier.
- 10) 20/09 School Link path, Rhydymwyn. Photos from Cllr Malcolm Down showing condition of path between Dolfechlas Road and the Llys Alyn housing estate. Item discussed earlier
- 11) 21/09 Town and Community Councils Workshop. Notification of meeting scheduled for Llysfasi 24 Sept:
  - (i) Cllr J V Worthing had attended the meeting about biodiversity.
  - (ii) Cllr Worthington reported at the Council meeting.
  - (iii) Cllr Worthington explained that Community Councils have a statutory duty to prepare a plan.
  - (iv) Only 30 - 35% of Councils have prepared a plan so far.

The Clerk had provided Members with a copy of a typical Biodiversity Plan used in an adjoining Community Council which could be used as a template for this Council to prepare a plan.

Cllr Worthington listed a number of items Cilcain could include in the plan such as

- (i) Dark sky lights lamps recently installed at Cilcain.
- (ii) Solar panels on the village hall roof.
- (iii) Bird / bat boxes associated with a recent Village Hall planning application.
- (iv) Award winning work recently undertaken at Ysgol y Foel.
- (v) Replanting replacement ash die back trees felled at Rhydymwyn.

Members agreed for the Chair, Cllr J V Worthington and Cllr Malcolm Down to meet in the next few weeks to prepare a plan for approval at the November 2025 Council meeting.

- 12) 22/09 Fechlas Brook - Nant Road, Rhydymwyn - Request for a site meeting with Michael P Williams (NRW) to discuss a river embankment repair. Clerk to pursue.
- 13) 23/09 Cefn Mawr Quarry Liaison Meeting - Copy of Notice of quarry liaison meeting sent to Cllr Ian Hughes ( Meeting scheduled for 15 Oct 2025). Position noted.

- 14) 24/09      Safety Notice 2 from Defra, Rhydymwyn. - Ongoing works on site - Extra Works this week - two catch pits down river of the automatic grille. Work scheduled for 25-25 Sept 2025. Item discussed earlier.
- 15) 24/09      Cilcain Play Area, Ash die back tree felling. Quotation from Flintshire CC 's tree felling contractor. Acceptance response sent. Position noted.
- 16) 25/09      Clearing out the DEFRA Catch pits, Rhydymwyn. Photos from Cllr John Doyle showing the work being done by NRW's Contractor on 25-26 Sept. Item discussed earlier.
- 17) 26/09      Nant Alyn Road closure application - Road closure for culvert replacement work 80m on the village side of the Coed Du Hall junction. Position noted.
- 18) 29/09      Road Closure, The Nant, Rhydymwyn. Information from Flintshire CC. Position noted.
- 19) 01/10      Disturbing find on a walk near Cilcain - Information from a local resident. Clerk reported the complaint had been dealt with. A subsequent email had been received from the person who had made the complaint to thank the Council for dealing with the matter.
- 20) 03/10      Road Closure, Plas Wilkin junction to Trimrock corner, Rhydymwyn. Notification from Flintshire Streetscene. Position noted.
- 21) 03/10      The Square, Cilcain. Photos of potholes in The Square, Cilcain received from Cllr Ian Hughes. Information re. potholes forwarded to Flintshire Streetscene. Also, photos of the Waen showing the condition of the field.  
  
Cllr J V Worthington reported that some of the potholes had been filled. Cllr Ian Hughes suggested that potholes not repaired were probably because of Flintshire CC following their 40mm rule.
- 22) 03/10      Save the date - Mayor of Mold Civic Service - 11 Jan 2026. Position noted.
- 23) 03/10      Proposed Glyndŵr National Park (Designation) Order. Statutory Consultation - information from Karen Weaver. Item discussed earlier.
- 24) 03/10      Wrexham / Flint Area Committee Meeting - Notice of One Voice Wales meeting scheduled for 11 Nov 2025. Cllr Karen Parker and Cllr Gwen Hardman to attend.
- 25) 06/10      Nant Alun Road. Report and photos from Cllr John Doyle - work has started on replacing the stone culvert (80m village side of Coed Du Hall junction). Cllr Tim Mitchell expressed concern regarding the unprotected drop at the outfall end of the culvert. Clerk to pursue the concern with Mr Neil Hickie.  
  
Cllr Mitchell explained that there had not been a structural failure of the culvert itself, but that the ground material surrounding the side and bottom of the culvert had been scoured, leading to a void forming at the side of the culvert and eventually affecting the road foundation and causing the dip in the road.



- 26) 09/10      Flooding at Hendre - Chairperson reported on the recent issues / meetings regarding flooding at Hendre:
- (i)      Meeting held on 3rd Sept with Tarmac, Waterco, and the Wildlife Trust
  - (ii)      Tarmac Estate Managers Section (Tiffany Cox) was requested to consider giving a donation towards watercourse monitoring at Hendre. Donation of £10,000 given.
  - (iii)      Waterco is now going to look at installing a river depth gauge at Hendre that can be used to trigger an alarm system for the Hendre residents
  - (iv)      River Walk took place on 7 October to look for possible gauge locations.
  - (v)      Wildlife Trust (Paul Furnborough) to arrange for clearing trees that could form an obstruction to the Mill Terrace culvert entrance under storm conditions.
  - (vi)      Waterco (Mike Wellington) will look at setting up a telephone warning system for Hendre residents
  - (vii)      A revised flood Risk management scheme for Hendre will be submitted to the Welsh Assembly in November. Result of Welsh Assembly consideration should be available in April 2026.
- 27) 10/10      Town & Community Councils Joint Standards Committee - Information from Flintshire CC's Gareth Legal. Meeting scheduled for 3rd November.
- 28) 12/10      Nant Alyn Road, Rhydymwyn. Report and photos from Cllr John Doyle showing the completed road reinstatement at the Nant Alyn Road culvert replacement. A photo was also taken of the carriageway re-surfacing following the completion of the longitudinal crack repair on the Caravan Park side of the Coed Du Hall junction (near Pren Teg). Position noted
- 29) 12/10      Coed Du Hospital outflow - pollution of open ditch from road water gulley connection. Report and photo received from Cllr John Doyle. Report forwarded to Mr Neil Hickie at Flintshire CC Streetscene Section. When previous pollution occurred at this location, Mr Hickie tracked the cause of the pollution down to the septic tank at Coed Du Hall not being regularly maintained.
- Cllr Pauline Douglas had spoken to Mr Gerald Taylor the Regional Manager for the hospital establishment. Cllr Douglas was informed that plans are currently being drawn up for major modifications to the Hospital, and it was probable that the plans would include modifications to the existing sewage disposal facilities
- Mr Neil Hickie was taking the matter up with Mr Taylor and the Coed Hall Manager.
- Cllr John Doyle reported that he had met an NRW Officer on site a few years ago to show the NRW the location of the pollution at Coed Du. Cllr Doyle recalled ringing up a few weeks later to enquire if an update was available on the enquiries / investigations made.

Cllr Doyle was informed that it was not NRW's policy to disclose private information to a member of the public.

Clerk to request Mr Hickie to investigate further. Clerk to provide Cllr Tim Mitchell with the email addresses for previous contacts with NRW regarding pollution of the River Alyn.

- 30) 13/10 Cilcain bonfire. Email to Club Secretary itemising conditions imposed for the Bonfire and Fireworks Display event.
- 31) 13/10 Coed Du Hospital outflow - Verbal report from Cllr Pauline Douglas. Cllr Douglas had spoken to her contact at Coed Du Hall (Mr Gerald Taylor). Renovation plans are being prepared which will probably require upgrading / replacing of the septic tank. Mr Taylor confirmed that Mr Hickie had just spoken to him regarding the pollution.
- 32) 17/10 Flintshire Streetscene Action Plan. For Members to comment on, and add to.

9. **TALU CYFRIFON - PAYMENT OF ACCOUNTS** - To approve the accounts in the Appendix.

10. **DYDDIAD Y CYFARFOD NESAF - DATE OF NEXT MEETING** - The next meeting of the Council will be held at the village Hall, Cilcain on Monday 17 November 2025. However, the Chair and Vice Chair reserve the right to change the date, having regard to the three clear working days statutory notice being given for any new date.

## **Appendix - Payment section not for publication until approved at the Council Meeting**

### **1. Payment of Accounts - (October 2025)**

(i)	A E (sal + fixed exp) for Sep 2025	745.85
(ii)	HMRC - PAYE (L.G.A.1972 S112) confirmation of the BACS payment made	118.45
(iii)	Office equipment and stationery - (L.G.A.1972 S111)	135.57
(iv)	AE - web fee	18.00
(v)	Rhydymwyn Institute - room hire Oct 2025.	30.00
(vi)	Blooming Gardens - grass cut at Cilcain cemetery, outside Rhydymwyn park, cemetery and two benches	276.00
(vii)	Cilcain Young Farmers Club	400.00
	Rhydymwyn Bonfire Committee	400.00
(viii)	One Voice Wales - subscription for 2025	261.00
(ix)	Scottish Power quarterly energy cost	297.33
(x)	JDK - Quarterly payment for website (June - Sept) ( one free )	60.00
(xi)	AE - Materials for painting gate in Cilcain	33.38

Please Note: Payment for the above items being made by BACS - authorised by the following two signatories.

Chairman ..... Vice Chair (or 2nd Councillor) .....

### **2. BUDGETARY CONTROL -**

Members noted that the balance held by the Council at the end of the first six months of the financial year ending on 30 Sept 2025 was £48,775.86. It was noted that the balance on 30 Sept 2024 was £42,367.21.

Members referred to the list of payments made in the first six months ending on 30 September 2025 and a list of the income received during the same period. Members noted that the difference between the total payments and total income matched the balance in the Council's HSBC Bank accounts.

Members noted that the HSBC charge of £5.00 plus per month has been dropped from the end of Sept 2025 onwards.

### **3. COUNCIL'S XMAS DINNER - Venue Cherry Pie - Friday 12 Dec 2025**

Members noted that the Council Xmas Dinner had been booked for Fri 12 Dec 2025.

### **4. Current Council Bank Balance.** Members noted that the closing balances in the Council's Bank Accounts on 12 October 2025 were:

Current Account: £138  
Deposit Account: £48,638  
Dep. Acc. interest:

2025 (Sept £56.11) (Aug £49.29) (July £52.61) (June £54.79) (May £47.23) (April £47.23)  
(Mar £48.71) (Feb £56.07) (Jan £70.11)  
2024 (Dec £56.43) (Nov £59.51) (Oct £64.13) (Sep £67.70) (Aug £56.76)

5. **Council Accounts for the year ending 30 March 2025** The Council accounts had been submitted for Internal Audit. Members recalled that the supporting documents had been listed in the May 2025 Minutes. If the 'Annual Return' is not returned from the Internal Auditor by the 20 October 2025 Council Meeting, authority was given for the Chair and Clerk to sign the 'Annual Return' before submitting it to the External Auditor in the Wales Audit Office. A copy of the Annual Return for the Council's website was in the correspondence pack.

Chair ..... Clerk .....Date .....